


| REVISIONS | | | |
|-----------|-------------|------|----------|
| REV | DESCRIPTION | DATE | APPROVED |
| | | | |




| | |
|---|------------------|
| DRAWN BY: | PERRITT |
| APPROVED | |
| HEAT TREAT | |
| FINISH SPEC | -- |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | |
| TOLERANCES ON: | |
| DECIMALS | |
| .XXX ± .005 | FRACTIONS ± 1/32 |
| .XX ± .01 | ANGLES ± 5° |
| .X ± .1 | |
| UNLESS OTHERWISE SPECIFIED | |
| 1. BREAK ALL SHARP EDGES | |
| .015 x 45° PR .015 R | |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |

| | |
|--|----------|
| <div> <div>RB</div> <div>RED BARN MACHINE</div> </div> | |
| TITLE | |
| SHIM | |
| DWG NO. | REV |
| 114D6264-1,-11 | |
| SCALE | DATE |
| NTS | 10-07-05 |
| SHEET 1 of 3 | |

| PART # | QTY | DESCRIPTION |
|--------|-----|----------------------------|
| -1 | 1 | 4130 11.625 x 11.625 x .09 |
| | | |

| USED ON MODEL |
|---------------|
| ? |
| |
| |
| |



| REVISIONS | | | |
|-----------|-------------|------|----------|
| REV | DESCRIPTION | DATE | APPROVED |
| | | | |


| PART # | QTY | DESCRIPTION |
|--------|-----|--------------------|
| -1 | 1 | 4130 Ø12.75 x .09 |
| -2 | 1 | 4130 Ø9.625 x .09 |
| -5 | 1 | 4130 3.5 x 6 x .09 |

| USED ON MODEL |
|---------------|
| ? |
| |
| |
| |

| | |
|--|------------------|
| DRAWN BY: | PERRITT |
| APPROVED | |
| HEAT TREAT | |
| FINISH | -- |
| SPEC | |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | |
| TOLERANCES ON: | |
| DECIMALS | |
| .XXX ± .005 | FRACTIONS ± 1/32 |
| .XX ± .01 | ANGLES ± 5° |
| .X ± .1 | |
| UNLESS OTHERWISE SPECIFIED | |
| 1. BREAK ALL SHARP EDGES | |
| 015 x 45° PR .015 R | |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |

| | |
|---------------------|----------------|
| RB RED BARN MACHINE | |
| TITLE | |
| SHIM | |
| DWG NO. | 114D6264-1,-11 |
| SCALE | NTS |
| DATE | 10-07-05 |
| SHEET | 1 of 3 |

| REVISIONS | | | |
|-----------|-------------|------|----------|
| REV | DESCRIPTION | DATE | APPROVED |
| | | | |




| PART # | QTY | DESCRIPTION |
|--------|-----|--------------|
| -5 | 1 | 4130 3.5 x 6 |
| | | |

| USED ON MODEL |
|---------------|
| ? |
| |
| |
| |

| | |
|--|------------------|
| DRAWN BY: | PERRITT |
| APPROVED | |
| HEAT TREAT | |
| FINISH SPEC | BLACK OXIDE |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | |
| TOLERANCES ON: | |
| DECIMALS | FRACTIONS ± 1/32 |
| .XXX ± .005 | ANGLES ± 5° |
| .XX ± .01 | |
| .X ± .1 | |
| UNLESS OTHERWISE SPECIFIED | |
| 1. BREAK ALL SHARP EDGES | |
| 015 x 45° PR .015 R | |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |

| | |
|--|----------------|
| <div> <div>RB</div> <div>RED BARN MACHINE</div> </div> | |
| TITLE | |
| 1/4 SHIM | |
| DWG NO. | 114D6264-5,-15 |
| SCALE | NTS |
| DATE | 9-15-03 |
| SHEET | 3 of 3 |


| REVISIONS | | | |
|-----------|-------------|------|----------|
| REV | DESCRIPTION | DATE | APPROVED |
| | | | |



| PART # | QTY | DESCRIPTION |
|--------|-----|-------------|
| -2 | 1 | 4130 Ø9.625 |


| USED ON MODEL |
|---------------|
| ? |

| |
|--|
| DRAWN BY: PERRITT |
| APPROVED |
| HEAT TREAT |
| FINISH SPEC |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES |
| TOLERANCES ON: |
| DECIMALS .XXX ± .005 FRACTIONS ± 1/32 |
| .XX ± .01 ANGLES ± 5° |
| .X ± .1 |
| UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES 015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING |

| | | | |
|--|------------------|--|-----------------|
|  RED BARN MACHINE | | | |
| TITLE SHIM | | | |
| DWG NO. 114D62664-2,-12 | | | RI |
| SCALE NTS | DATE 10-07-05 | | SHEET 2 of 2 |

-1

| REVISIONS | | | |
|-----------|-------------|------|----------|
| REV | DESCRIPTION | DATE | APPROVED |
| | | | |



| | |
|---|---------|
| DRAWN BY: | PERRITT |
| APPROVED | |
| HEAT TREAT | |
| FINISH SPEC | -- |
| USED ON MODEL | ? |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 | |
| FRACTIONS ± 1/32 ANGLES ± 5° | |
| UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES 015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |

| | |
|---------------------|----------------|
| RB RED BARN MACHINE | |
| TITLE | |
| SHIM | |
| DWG NO. | 114D6264-1,-11 |
| SCALE | NTS |
| DATE | 10-07-05 |
| SHEET | 1 of 3 |

| PART # | QTY | DESCRIPTION |
|--------|-----|----------------------|
| -1 | 1 | 4130 11.625 x 11.625 |

NOT APPROVED FOR PRODUCTION

| REVISIONS | | | |
|-----------|-------------|------|----------|
| REV | DESCRIPTION | DATE | APPROVED |
| | | | |

| PART # | QTY | DESCRIPTION |
|--------|-----|------------------|
| -1 | 1 | 41L40 Ø5/8 x 3/4 |
| | | |

| USED ON MODEL |
|---------------|
| ? |
| |
| |
| |

| |
|---|
| DRAWN BY: PERRITT |
| APPROVED |
| HEAT TREAT |
| FINISH SPEC BLACK OXIDE |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1 |
| UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES Ø15 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING |

| | |
|---------------------|---------------------------|
| RB RED BARN MACHINE | |
| TITLE | |
| DWG NO. | PART # |
| SCALE NTS | DATE 9-15-03 SHEET 1 of 1 |

NOT APPROVED FOR PRODUCTION

| REVISIONS | | | |
|-----------|-------------|------|----------|
| REV | DESCRIPTION | DATE | APPROVED |
| | | | |

| PART # | QTY | DESCRIPTION |
|--------|-----|-----------------------|
| -1 | 1 | 4140 3/16 x 1 1/2 x 4 |
| | | |

| | | | |
|--|---|---------------------|--------------|
| USED ON MODEL ? | DRAWN BY: PERRITT | RB RED BARN MACHINE | |
| | CHECKED | TITLE | |
| | HEAT TREAT FINISH SPEC | TITLE | |
| | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 | TITLE | |
| | UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | TITLE | |
| SCALE NTS | | DATE 9-15-03 | SHEET 1 of 1 |